

ताराखोलागाउँपालिका गाउँकार्यपालिकाकोकार्यालय

अर्गल, बाग्लुङ गण्डकी प्रदेश, नेपाल

ववारी साधन खरिद सम्बन्धी सूचना

(प्रथम पटक प्रकाशित मिति:-२०७९/१२/८ गते)



यस गाउँपालिकाको देहाय बमोजिम सवारी साधनहरू खरिद गर्नु पर्ने भएकोले सार्वजिनक खरिद ऐन २०६३ को दफा द को उपदफा (१) तथा सार्वजिनक खरिद नियमावली २०६४ को नियम ३१(ख) बमोजिम सवारी साधन उत्पादन कम्पनी वा सो को आधिकारीक विकेता बीच मात्र प्रतिस्पर्धा गराउने(क्याटलग सिपङ्ग) विधिवाट खरिद गर्नुपर्ने भएकोले सार्वजिनक खरिद नियमावली २०६४ को नियम ३१(ख) को उपनियम (२) अनुसार देहाय बमोजिमको सवारी साधनहरू विकि गर्न चाहाने खरिद सम्बन्धि कार्य गर्न योग्य उत्पादक वा आधिकारिक विकेताहरूले स्पेसिफिकेसन, गुणास्तर, मुल्य र सुविधा सिहतको विवरण (क्याटलग वा ब्रोसर) संलग्न राखि यो सूचना प्रकाशित भएको मितिले १५(पन्ध्र) दिन भित्र यस कार्यालयमा निवेदन दर्ता गर्नु हुन सम्बन्धित उत्पादक कम्पनी वा सो को आधिकारित विकेताहरूको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ । अन्य जानकारीको लागि कार्यालय समयमा ९८५७६२४५४१ मा सम्पर्क गर्न सिकेने छ ।

तपसिल

Contract No.		<u>तपासल</u>	
Contract No.	Type of Vechicle	Quantity	Requirement (General Specification)
TRM/NCB/G/CS/01/079- 80	Backhoe Loader	1(One)	As Mentioned in technical specification
TRM/NCB/G/CS/02/079- 80	4wd double cab pickup	1(One)	As Mentioned in technical specification
-)-: www.	0.0		

नोटः यस सम्बन्धी विस्तृत जानकारी गाउँपालिकाको वेवसाईट <u>www.tarakholamun.gov.np</u> मा उपलब्ध गराईएको छ ।

नि.प्रमुख प्रशासकीय अधिकृत

जि. प्रमुख प्रशासकीय अधिकृत

Technical Specification of Backhoe Londer

Quantity:-01

S.N	Criteria	Requirements	Offered Specification (to be filled by suppliers)	Remarks
1,	General	All-Wheel Drive, Heavy Duty Rigid Steel frame with cab, suitable for operating under rough working conditions & Adverse climatic Condition at altitude ranging from 80mtr to 2000 mtrs & ambient temperature varying -5 to 50 degree Celcius.	женда ополня Манцей от I и Изда «Андай» авто 2 до выйоскоп и и учено простоя учено вы не 2011 году.	operation in Section of the Process of American Institute of The Ameri
2.	Cabin	All Steel enclosed cab with laminated glass windscreen insulated roof, suitably located controls for backhoe(Excavator) and loader operation, rear view mirror, cavin light, wiper and adjustable cushioned seat for operator shall be provide.		
3.	Engine	Turbocharged, Inter-cooled Direct Injection developing Power Output not less than 95(±5) hp(engine fully equipped with accessories) at governed RPM and Torque not less tha 375Nm for efficient full load operation of backhoe loader at operating conditions as stated in the bid		
		document. Backhoe loader shall be equipped with heavy duty radiator, direct electric starting system, heavy duty battery, heavy duty, air cleaner and heavy duty fuel filter.		



के जिला जाउँप कि के प्रशासकीय आधिक के जिला जाउँप कि के प्रशासकीय आधिक के जिला जाउँप कि के प्रशासकीय अधिक के जिला जाउँप के जिला वाजार्थ हैं २०७३

r	Capacity/S	Loader	Multipurpose		
	ize/Perfor		Multipurpose 6-in-1, to facilitate dozing,		
	mance		digging, grading, back filling, grabbing and		
	1		loading application) bucket with capacity nominally heaped >1cu.m		
		1	Bucket breekers F.		
		1	Bucket breakout Force Min. 6000kgf		
			Maximum Digging Depth below ground level ≥70mm		
		Backhoe	Bucket capacity≥0.27cu.m		
			Backhoe Bucket Digging force min 5500 kgf		
		1	Backhoe Bucket Digging Depth from		
	-	1	Ground Level ≥ 4500mm		
5.	Hydraulic 1	Flow	Maximum total pump flow litre per		
			minute)≥115(Lpm)		
5.	Tyre		Standard Tyre		
7.	Ground Cl		Minimum 290 mm.		-
8.	Trasmissio	n	Torque converter with power shift/shuttle		
-	-		type (At least 4 forward & 2 Reverse)	,	
9.	Axles		Four Wheel Drive with fixed rare axle and		-
1			minimum 16 degree to handle uneven		-
			terrains (higher degree of oscillation highly		
-	-		preterred)	2	
10.	Steering		Power /Power assisted		
11.	Brakes		Hydraulic Actuated Disc/caliper type service		
-			Brakes & Separate Parking Brake	1	The State State of the State of
12.	Gauges &	Indicators	To include necessary gauges meters and		
1			indicators for efficient operation &		
-			maintaenance.		
13.	Fuel Tank		Minimum 110 litres Capacity		A A SA
1	1				



Fage 2/4

VIOTET 372

JUNE JEHEROPH SHEROE

A				
4.	Essential Accessories	1. Road Lights, Side Indicators, Operating	and the second s	
		Lights for Loader & Backhoe & fog		Y + 2 3
	-1	lights.		
1	2 2	2. Cabin Lights		8 D
		3. Fan for Operator		
		4. Service Hour Meter&		, ,
		5. Mp3/DVD/FM Player		
		6. A Heavy duty grease gun		
		7. Tyre pressure Indicator Gauge		
	-	8. An extra Backhoe bucket of capacity		- × - 1
		approx. 0.09(±.01) cu.m.		-
		Equipped with all the offered		
		accessories in standard model but		
-		not limited to above item.		,,
15.	Instructions	All signs instructions in equipment shall be in		
<u> </u>		English.		
16.	Manuals	One Hard copy of the Operator's and Owner's		
1.		instructions and Maintenance manual in English shall be supplied.		
ŀ		Spare Parts catalogue shall be supplied with	i i	
		the equipment.		
17.	Tools	A set of tools as required for general		
		maintenance shall be supplied within		
10	Colour	alockable tool box with equipment.		
18.		J		
19	. Proven performance	1.The machine offered shall be of current		
		model under standard production by the		
		2. The machine offered shall be of current		
		manufacturing year not less than 2022.		



Post by the day

Ann



A. Andre Destruction of March

Scanned with CamScanner

20.	Trench bucket	The backhoe loader shall have the arrangement and attachment for trench bucket.	
21.	Warranty	Manufacturer shall provide minimum 2 years warranty from date of acceptance	- 2 G
22.	Delivery	The Backhoe Loader one (1) Unit shall be delivered with all necesarry accessories to: Office Of the Rural Municipal Executive Tarakhola Rural Municipality, Argal Baglung	


Note: The major items are indicated by bold highlighted letter/alphabets/figures in the technical Specifications . Non compliance of the major items will result in non-responsiveness of the bid offer.



Prepared By:-

Samina Pun
Mechanical Officer

Page 4/4



Technical specification for 4wd double cab pickup

Quantity:-01unit

N.	Criteria	Requirement	Offered Specification
	General	Four Door, Right Hand Drive diesel engine 4WD Double Cab pickup suitable for driving both in ON ROAD conditions providing smooth economic performance and in OFF-ROAD conditions capable of delivering strong adequate traction and stability needed for safe driving in rough and hilly road conditions in Nepal at an altitude upto 2000 meter and in ambient temperature between -5 to 50 degree centigrade. Gross Vehicle Weight (GVW) of the vehicle shall not be less than 2700 kg and shall have seating capacity for 5 passengers including driver.	
2	Engine	4-stroke, 4 cylinder (more than 2200cc but not more than 2600cc) water cooled diesel engine, developing maximum rated power output not less than 40 KW and Maximum Torque should not be less than 190 Nm at governed rpm engine equipped with accessories for efficient full load operation of 4WD Pickup at operating conditions, cold starting device, direct electric starting system, heavy duty fuel filter,	
3	Gauges	To include ammeter, water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, signals for 4WD, door lock signal etc.	. 199
4	Emission standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable Standard as prescribed by Nepal Vehicle Mass Emission Standard 2069, which is to be certified by Department of Transport Management.	
5	Clutch	Single plate, Dry Friction	
6	Transmission	Mechanical Five forward speed and one reverse all forward synchromesh, 4WD engaged through control at driver seat.	1
1-	7 Ground clearanc		· · · · · · · · · · · · · · · · · · ·
1	8 Suspension	Double wishbone/ Torsion bar/ Telescopic shoc absorber/Anti roll bar/stabilizer bar/hydraulic doubl acting/ five link type suspension/Macpherson/ Mul -link coil/leaf spring.	e
	9 Turning Radius	Maximum Turning Radius not more than 7m.	



नाराज्यकार के जिल्ला प्रा

PARTITION STREET STREET

Scanned with CamScanner

117	cels and Tires	Standard Ope	
		Road and cross country type	
		Wheel Base : Not less than 2900 mm	CONTROL OF THE PROPERTY OF THE
Ste	ZUUT Territoria della compania	Poner audited/Poner steering	A CONTRACTOR OF THE PARTY OF TH
Br	4762	Front: Disc type	
		Rear : Disc/Drum type	
		Hydraulic operated on all wheels, and parking brake, dual circuit preffered.	
10	Aprilia de la companya del companya de la companya de la companya del companya de la companya de	4 side door, all metallic cab with insulated rook, right hand drive, laminated glass windscreen, washers and hand drive, laminated glass windscreen, washers and hand drive, laminated glass windscreen, washers and	
			-
1		comfortable and adjustable seats for diversities and two side	
		passenger. Floor mats, two sun viscos, and view mirrors. Rear Body to be metallic, pickup type	
		with drop type tail board.	
_	Mark and Anna	tond the control of t	-
4 1	Chasis and frame	conditions	
		Towing hook	
_	Day Load	Not less than 900 kg.	
5	Pay Load	Not less than 45 Liters.	Control of the Contro
16	Fuel Tank	1. Head light, tail and rear light, reversing light and	THE RESERVE OF THE PARTY OF THE
17	Essential	1. Head light, tail and rear right, reversing right turn signals.	
	Accessories	2 Cabin lights	
		3 Speedometer/Odometer	
		4. Spare wheel with tire 5. Suitable Jack with handle	
		a Propt seat belt for driver and co-passenger with	
		information on dashboard. 7, Audio system with SUB, AUX Radio FM, AM	
	1	7, Audio system with SOB, AOA Radio 133, 1241, others.	
		S. Rubber mats	
		o Side steps	
		10. 12V chargin sockets. To be equipped with all accessories offered in	. 4
		standard model but not limited to the above	anther
		items.	36.34
		All signs and instructions in the vehicle shall be in	
18	Instructions	English.	THE STATE OF THE S
10	Manuals	One copy of the operator's and owner's Instructions and Maintenance manual in English shall be supplied	नाउँ व
19	(Hamiltonia)	with each vehicle.	
- 20	Tools	A set of tools as required for general maintenance	-
20	10012		







		shall be supplied.	and the state of t
21	Color	Standard color.	
22	Proven Performance	1. The machine offered shall be a current (latest) model under standard production by the manufacturer for at least one year. 2. The Vehicle offered should be of current manufacturing year not less than 2023 3. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine and production capacity of the unit.	
23	Warranty	Manufacturer shall provide a minimum of one-year warranty after acceptance.	
24	Delivery	The 4 wheel Drive Double Cab Pickup-1 unit and its spare parts shall be delivered to: Office of the Rural Municipal Executive TaraKhola Municipality, Argal, Baglung Gandaki Province, Nepal	

Note:

a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in nonresponsiveness of the bid.

Name: Samina Pun

Mechanical Officer

Pr. Wille Willed St. Ball Cold.